Circuit Breakers Contracircuitos Disjoncteurs 1002
Fuse Kits Kit de Fusibles Ensembles de Fusibles 990
Fuses Fusibles Fusibles 992
ABC 992
ACK 992
ACL 992
AGC 993
AGU 993
AGX 993
ALS 994
ANL 994
ANN 994
ATC 995
ATM 995
FES 995
FRS-R 995
FWA 995
GLH 996
GMA 996
JJN 996
KAA 996
LKN 996
LPJ 997
MAX 998
MDA 998
MDL 999
MIN 999
NOS 999
SFE 999
Fuse Holders Portafusibles Porte-Fusibles 1001
Japanese Fuses Fusibles Japoneses Fusibles Japonais 1000



15

Fuses Fusibles Fusibles

Fuse Kits **Kit de Fusibles** Ensembles de Fusibles

	Description
SY509115-001	100 Piece mini blade kit

Kit Components	Description	Quantity	**Amp** ▼	Color
SY509102-025	Mini Blade	10	3	Violet
SY509104-025	Mini Blade	10	5	Tan
SY509105-025	Mini Blade	10	7½	Brown
SY509106-025	Mini Blade	10	10	Red
SY509107-025	Mini Blade	15	15	Blue
SY509108-025	Mini Blade	15	20	Yellow
SY509109-025	Mini Blade	15	25	Clear
SY509110-025	Mini Blade	15	30	Green

	Description
SYBU-GSK-260	120 Piece AGC glass kit

Kit Components	Description	Quantity	**Amp** ▼
SY509202-100	Glass	15	5
SY509203-100	Glass	15	7½
SY509204-100	Glass	15	10
SY509205-100	Glass	15	15
SY509206-100	Glass	15	20
SY509207-100	Glass	15	25
SY509208-100	Glass	15	30
SY509209-100	Glass	15	35

Fuse Kits **Kit de Fusibles** Ensembles de Fusibles

	Description
SY509115-001	325 Piece combo kit of mini, maxi, standard blades and AGC glasss

Kit Components	**Description** ▼	Quantity	Amp	Color
SY509198-100	AGC glass	10	1	Clear
SY509199-100	AGC glass	10	2	Clear
SY509201-100	AGC glass	10	3	Clear
SY509202-100	AGC glass	10	5	Clear
SY509203-100	AGC glass	10	7½	Clear
SY509204-100	AGC glass	10	10	Clear
SY509205-100	AGC glass	10	15	Clear
SY509206-100	AGC glass	10	20	Clear
SY509207-100	AGC glass	10	25	Clear
SY509208-100	AGC glass	10	30	Clear
SY509150-025	Maxi blade	2	20	Yellow
SY509151-025	Maxi blade	2	30	Green
SY509153-025	Maxi blade	2	40	Orange
SY509154-025	Maxi blade	2	50	Red
SY509155-025	Maxi blade	2	60	Blue
SY509101-025	Mini blade	10	2	Light gray
SY509102-025	Mini blade	10	3	Violet
SY509104-025	Mini blade	10	5	Tan
SY509105-025	Mini blade	10	7½	Brown
SY509106-025	Mini blade	10	10	Red
SY509107-025	Mini blade	10	15	Blue
SY509108-025	Mini blade	10	20	Yellow
SY509109-025	Mini blade	10	25	Clear
SY509110-025	Mini blade	10	30	Green
Not sold separately	Mini blade	10	35	Purple
SY509123-025	Standard blade	10	3	Violet
SY509125-025	Standard blade	10	5	Tan
SY509126-025	Standard blade	10	7½	Brown
SY509127-025	Standard blade	10	10	Red
SY509128-025	Standard blade	10	15	Blue
SY509129-025	Standard blade	10	20	Yellow
SY509130-025	Standard blade	10	25	Clear
SY509131-025	Standard blade	10	30	Green
SY509132-025	Standard blade	10	35	Purple
SY509133-025	Standard blade	10	40	Orange

When ordering, include SYBU- prefix with Type and #. Example: SYBU-ACK100

Cuando realice un pedido incluya el prefijo-SYBU con el tipo y el número de fusible. Ejemplo: SYBU-ACK100

Lorsque vous commandez, n'oubliez pas le préfixe SYBU suivi du type et du numéro de fusible. Exemple : SYBU-ACK100

Type	Fuse #	**Current ▼ Amps**	Fuse Tube Diameter		Length		Width		Voltage AC	Voltage DC
ABC	3/8	⅜	0.25"	6mm	1.25"	32mm			250	250
	3/4	¾	0.25"	6mm	1.25"	32mm			250	250
	1-1/2	1½	0.25"	6mm	1.25"	32mm			250	250
	2	2	0.25"	6mm	1.25"	32mm			250	250
	2-1/2	2½	0.25"	6mm	1.25"	32mm			250	250
	3	3	0.25"	6mm	1.25"	32mm			250	250
	5	5	0.25"	6mm	1.25"	32mm			250	250
	10	10	0.25"	6mm	1.25"	32mm			250	250
	12	12	0.25"	6mm	1.25"	32mm			250	250
	15	15	0.25"	6mm	1.25"	32mm			250	250
	20	20	0.25"	6mm	1.25"	32mm			250	250
	25	25	0.25"	6mm	1.25"	32mm			250	250
	30	30	0.25"	6mm	1.25"	32mm			250	250
ACK	10	10	0.59"	15mm	3.07"	78mm	0.50"	13mm	125	125
	15	15	0.59"	15mm	3.07"	78mm	0.50"	13mm	125	125
	20	20	0.59"	15mm	3.07"	78mm	0.50"	13mm	125	125
	25	25	0.59"	15mm	4.72"	120mm	0.50"	13mm	125	125
	30	30	0.59"	15mm	3.07"	78mm	0.50"	13mm	125	125
	35	35	0.86"	22mm	3.74"	95mm	0.75"	19mm	125	125
	40	40	0.86"	22mm	3.74"	95mm	0.75"	19mm	125	125
	50	50	0.86"	22mm	3.74"	95mm	0.75"	19mm	125	125
	60	60	0.86"	22mm	3.74"	95mm	0.75"	19mm	125	125
	70	70	1.12"	29mm	4.46"	113mm	0.10"	25mm	125	125
	75	75	1.12"	29mm	4.46"	113mm	0.10"	25mm	125	125
	80	80	1.12"	29mm	4.46"	113mm	0.10"	25mm	125	125
	100	100	1.12"	29mm	4.46"	113mm	0.10"	25mm	125	125
	120	120	1.12"	29mm	4.72"	120mm	0.10"	25mm	125	125
	140	140	1.12"	29mm	4.72"	120mm	0.10"	25mm	125	125
	150	150	1.12"	29mm	4.72"	120mm	0.10"	25mm	125	125
	160	160	1.12"	29mm	4.72"	120mm	0.10"	25mm	125	125
	175	175	1.12"	29mm	4.72"	120mm	0.10"	25mm	125	125
	200	200	1.12"	29mm	4.72"	120mm	0.10"	25mm	125	125
	225	225	1.12"	29mm	4.72"	120mm	0.10"	25mm	125	125
	250	250	1.12"	29mm	4.72"	120mm	0.10"	25mm	125	125
	300	300	1.12"	29mm	4.72"	120mm	0.10"	25mm	125	125
	400	400	1.12"	29mm	4.72"	120mm	0.10"	25mm	125	125
ACL	30	30	0.59"	15mm	3.07"	78mm	0.50"	13mm	125	125
	40	40	0.59"	15mm	3.07"	78mm	0.50"	13mm	125	125
	50	50	0.59"	15mm	3.07"	78mm	0.50"	13mm	125	125
	60	60	0.59"	15mm	3.07"	78mm	0.50"	13mm	125	125

Fuses Fusibles Fusibles

When ordering, include SYBU- prefix with Type and #. Example: SYBU-ACK100

Cuando realice un pedido incluya el prefijo-SYBU con el tipo y el número de fusible. Ejemplo: SYBU-ACK100

Lorsque vous commandez, n'oubliez pas le préfixe SYBU suivi du type et du numéro de fusible. Exemple : SYBU-ACK100

Type	Fuse #	Current ▼ Amps	Fuse Tube Diameter		Length		Width	Voltage AC	Voltage DC
AGC	15/100	15/100	0.25"	6mm	1.25"	32mm		250	250
	3/16	3/16	0.25"	6mm	1.25"	32mm		250	250
	2/10	2/10	0.25"	6mm	1.25"	32mm		250	250
	1/4	1/4	0.25"	6mm	1.25"	32mm		250	250
	3/10	3/10	0.25"	6mm	1.25"	32mm		250	250
	3/8	3/8	0.25"	6mm	1.25"	32mm		250	250
	4/10	4/10	0.25"	6mm	1.25"	32mm		250	250
	1/2	1/2	0.25"	6mm	1.25"	32mm		250	250
	6/10	6/10	0.25"	6mm	1.25"	32mm		250	250
	3/4	3/4	0.25"	6mm	1.25"	32mm		250	250
	1	1/2	0.25"	6mm	1.25"	32mm		250	250
	1-6/10	1 6/10	0.25"	6mm	1.25"	32mm		250	250
	1-1/4	1 1/4	0.25"	6mm	1.25"	32mm		250	250
	1-1/2	1 1/2	0.25"	6mm	1.25"	32mm		250	250
	1-3/4	1 3/4	0.25"	6mm	1.25"	32mm		250	250
	1/10	1/10	0.25"	6mm	1.25"	32mm		250	250
	2	2	0.25"	6mm	1.25"	32mm		250	250
	2-1/4	2 1/4	0.25"	6mm	1.25"	32mm		250	250
	2-1/2	2 1/2	0.25"	6mm	1.25"	32mm		250	250
	3	3	0.25"	6mm	1.25"	32mm		250	250
	3-2/10	3 2/10	0.25"	6mm	1.25"	32mm		250	250
	4	4	0.25"	6mm	1.25"	32mm		250	250
	5	5	0.25"	6mm	1.25"	32mm		250	250
	6	6	0.25"	6mm	1.25"	32mm		250	250
	6-1/4	6 1/4	0.25"	6mm	1.25"	32mm		250	250
	10	10	0.25"	6mm	1.25"	32mm		250	250
	12	12	0.25"	6mm	1.25"	32mm		32	32
	15	15	0.25"	6mm	1.25"	32mm		32	32
	20	20	0.25"	6mm	1.25"	32mm		32	32
	25	25	0.25"	6mm	1.25"	32mm		32	32
	30	30	0.25"	6mm	1.25"	32mm		32	32
AGU	10	10	0.41"	10mm	1.50"	38mm		125	125
	20	20	0.41"	10mm	1.50"	38mm		125	125
	25	25	0.41"	10mm	1.50"	38mm		125	125
	30	30	0.41"	10mm	1.50"	38mm		125	125
AGX	2	2	0.25"	6mm	1.00"	25mm		250	250
	2-1/2	2 1/2	0.25"	6mm	1.00"	25mm		250	250
	10	10	0.25"	6mm	1.00"	25mm		250	250
	15	15	0.25"	6mm	1.00"	25mm		250	250
	20	20	0.25"	6mm	1.00"	25mm		250	250
	25	25	0.25"	6mm	1.00"	25mm		125	125

When ordering, include SYBU- prefix with Type and #. Example: SYBU-ACK100

Cuando realice un pedido incluya el prefijo-SYBU con el tipo y el número de fusible. Ejemplo: SYBU-ACK100

Lorsque vous commandez, n'oubliez pas le préfixe SYBU suivi du type et du numéro de fusible. Exemple : SYBU-ACK100

Type	Fuse #	**Current ▼ Amps**	Fuse Tube Diameter		Length		Width		Voltage AC	Voltage DC
ALS	100	100	1.12"	29mm	4.71"	120mm	1.00"	25mm	125	125
	175	175	1.12"	29mm	4.71"	120mm	1.00"	25mm	125	125
	200	200	1.12"	29mm	4.71"	120mm	1.00"	25mm	125	125
	225	225	1.12"	29mm	4.71"	120mm	1.00"	25mm	125	125
	250	250	1.12"	29mm	4.71"	120mm	1.00"	25mm	125	125
	300	300	1.12"	29mm	4.71"	120mm	1.00"	25mm	125	125
	350	350	1.12"	29mm	4.71"	120mm	1.00"	25mm	125	125
	400	400	1.12"	29mm	4.71"	120mm	1.00"	25mm	125	125
	450	450	1.12"	29mm	4.71"	120mm	1.00"	25mm	125	125
	500	500	1.12"	29mm	4.71"	120mm	1.00"	25mm	125	125
ANL	35	35			3.19"	81mm	0.75"	19mm	80	80
	40	40			3.19"	81mm	0.75"	19mm	80	80
	50	50			3.19"	81mm	0.75"	19mm	80	80
	60	60			3.19"	81mm	0.75"	19mm	80	80
	80	80			3.19"	81mm	0.75"	19mm	80	80
	100	100			3.19"	81mm	0.75"	19mm	80	80
	130	130			3.19"	81mm	0.75"	19mm	80	80
	150	150			3.19"	81mm	0.75"	19mm	80	80
	175	175			3.19"	81mm	0.75"	19mm	80	80
	200	200			3.19"	81mm	0.75"	19mm	80	80
	225	225			3.19"	81mm	0.75"	19mm	80	80
	250	250			3.19"	81mm	0.75"	19mm	80	80
	275	275			3.19"	81mm	0.75"	19mm	80	80
	300	300			3.19"	81mm	0.75"	19mm	80	80
	325	325			3.19"	81mm	0.75"	19mm	80	80
	350	350			3.19"	81mm	0.75"	19mm	80	80
	400	400			3.19"	81mm	0.75"	19mm	80	80
	500	500			3.19"	81mm	0.75"	19mm	80	80
	675	675			3.19"	81mm	0.75"	19mm	80	80
ANN	10	10			3.19"	81mm	0.75"	19mm	130	80
	35	35			3.19"	81mm	0.75"	19mm	130	80
	40	40			3.19"	81mm	0.75"	19mm	130	80
	50	50			3.19"	81mm	0.75"	19mm	130	80
	60	60			3.19"	81mm	0.75"	19mm	130	80
	80	80			3.19"	81mm	0.75"	19mm	130	80
	90	90			3.19"	81mm	0.75"	19mm	130	80
	100	100			3.19"	81mm	0.75"	19mm	130	80
	125	125			3.19"	81mm	0.75"	19mm	130	80
	150	150			3.19"	81mm	0.75"	19mm	130	80
	175	175			3.19"	81mm	0.75"	19mm	130	80
	200	200			3.19"	81mm	0.75"	19mm	130	80
	225	225			3.19"	81mm	0.75"	19mm	130	80
	250	250			3.19"	81mm	0.75"	19mm	130	80

Fuses Fusibles Fusibles

When ordering, include SYBU- prefix with Type and #. Example: SYBU-ACK100

Cuando realice un pedido incluya el prefijo-SYBU con el tipo y el número de fusible. Ejemplo: SYBU-ACK100

Lorsque vous commandez, n'oubliez pas le préfixe SYBU suivi du type et du numéro de fusible. Exemple : SYBU-ACK100

Type	Fuse #	**Current ▼ Amps**	Fuse Tube Diameter		Length		Width		Voltage AC	Voltage DC
ANN	275	275			3.19"	81mm	0.75"	19mm	130	80
	300	300			3.19"	81mm	0.75"	19mm	130	80
	325	325			3.19"	81mm	0.75"	19mm	130	80
	350	350			3.19"	81mm	0.75"	19mm	130	80
	400	400			3.19"	81mm	0.75"	19mm	130	80
	500	500			3.19"	81mm	0.75"	19mm	130	80
	600	600			3.19"	81mm	0.75"	19mm	130	80
	700	700			3.19"	81mm	0.75"	19mm	130	80
	800	800			3.19"	81mm	0.75"	19mm	130	80
ATC	1	1			Standard blade		1.26"	32mm	32	32
	2	2			Standard blade		1.26"	32mm	32	32
	3	3			Standard blade		1.26"	32mm	32	32
	5	5			Standard blade		1.26"	32mm	32	32
	10	10			Standard blade		1.26"	32mm	32	32
	15	15			Standard blade		1.26"	32mm	32	32
	20	20			Standard blade		1.26"	32mm	32	32
	25	25			Standard blade		1.26"	32mm	32	32
	30	30			Standard blade		1.26"	32mm	32	32
ATM	2	2			Standard blade		1.26"	32mm	32	32
	3	3			Standard blade		1.26"	32mm	32	32
	4	4			Standard blade		1.26"	32mm	32	32
	10	10			Standard blade		1.26"	32mm	32	32
	20	20			Standard blade		1.26"	32mm	32	32
	25	25			Standard blade		1.26"	32mm	32	32
	30	30			Standard blade		1.26"	32mm	32	32
FES	125	125	1.58"	40mm	2.69"	68mm	4.31"	110mm	600	460
FRS-R	10	10	0.83"	21mm	5.00"	127mm			600	300
	15	15	0.83"	21mm	5.00"	127mm			600	300
	20	20	0.83"	21mm	5.00"	127mm			600	300
	25	25	0.83"	21mm	5.00"	127mm			600	300
	30	30	0.83"	21mm	5.00"	127mm			600	300
	35	35	1.06"	27mm	5.47"	139mm			600	300
	40	40	1.06"	27mm	5.47"	139mm			600	300
	60	60	1.06"	27mm	5.47"	139mm			600	300
FWA	80A	80	1.13"	29mm	2.66"	68mm			150	150
	100A	100	1.13"	29mm	2.66"	68mm				
	250A	250	1.13"	29mm	2.66"	68mm			150	150

When ordering, include SYBU- prefix with Type and #. Example: SYBU-ACK100

Cuando realice un pedido incluya el prefijo-SYBU con el tipo y el número de fusible. Ejemplo: SYBU-ACK100

Lorsque vous commandez, n'oubliez pas le préfixe SYBU suivi du type et du numéro de fusible. Exemple : SYBU-ACK100

Type	Fuse #	**Current ▼ Amps**	Fuse Tube Diameter		Length		Width		Voltage AC	Voltage DC
GLH	10	10	0.25"	6mm	1.25"	32mm			250	250
GMA	250MA	¼	0.20"	5mm	0.79"	20mm			250	250
	300MA	⅜10	0.20"	5mm	0.79"	20mm			250	250
	750MA	¾	0.20"	5mm	0.79"	20mm			250	250
	1A	1	0.20"	5mm	0.79"	20mm			250	250
	3A	3	0.20"	5mm	0.79"	20mm			250	250
JJN	1	1	0.41"	10mm	0.88"	22mm			300	160
	3	3	0.41"	10mm	0.88"	22mm			300	160
	6	6	0.41"	10mm	0.88"	22mm			300	160
	10	10	0.41"	10mm	0.88"	22mm			300	160
	15	15	0.41"	10mm	0.88"	22mm			300	160
	20	20	0.41"	10mm	0.88"	22mm			300	160
	25	25	0.41"	10mm	0.88"	22mm			300	160
	30	30	0.41"	10mm	0.88"	22mm			300	160
	35	35	0.56"	14mm	0.88"	22mm			300	160
	40	40	0.56"	14mm	0.88"	22mm			300	160
	60	60	0.56"	14mm	0.88"	22mm			300	160
	70	70	0.81"	21mm	2.16"	55mm	0.75"	19mm	300	160
	80	80	0.81"	21mm	2.16"	55mm	0.75"	19mm	300	160
	100	100	0.81"	21mm	2.16"	55mm	0.75"	19mm	300	160
	110	110	1.06"	27mm	2.44"	62mm	0.88"	22mm	300	160
	125	125	1.06"	27mm	2.44"	62mm	0.88"	22mm	300	160
	150	150	1.06"	27mm	2.44"	62mm	0.88"	22mm	300	160
	175	175	1.06"	27mm	2.44"	62mm	0.88"	22mm	300	160
	225	225	1.33"	34mm	2.75"	70mm	0.10"	25mm	300	160
	250	250	1.33"	34mm	2.75"	70mm	0.10"	25mm	300	160
	300	300	1.33"	34mm	2.75"	70mm	0.10"	25mm	300	160
	350	350	1.33"	34mm	2.75"	70mm	0.10"	25mm	300	160
	400	400	1.33"	34mm	2.75"	70mm	0.10"	25mm	300	160
KAA	150	150	1.13"	29mm	2.66"	68mm			150	150
	200	200	1.13"	29mm	2.66"	68mm			150	150
	250	250	1.13"	29mm	2.66"	68mm			150	150
	300	300	1.13"	29mm	2.66"	68mm			150	150
	350	350	1.13"	29mm	2.66"	68mm			130	
	400	400	1.13"	29mm	2.66"	68mm			150	150
LKN	1	1	0.55"	14mm	2.01"	51mm			250	600

Fuses Fusibles Fusibles

When ordering, include SYBU- prefix with Type and #. Example: SYBU-ACK100

Cuando realice un pedido incluya el prefijo-SYBU con el tipo y el número de fusible. Ejemplo: SYBU-ACK100

Lorsque vous commandez, n'oubliez pas le préfixe SYBU suivi du type et du numéro de fusible. Exemple : SYBU-ACK100

Type	Fuse #	**Current ▼ Amps**	Fuse Tube Diameter		Length		Width		Voltage AC	Voltage DC
LKN	4	4	0.55"	14mm	2.01"	51mm			250	600
	6	6	0.55"	14mm	2.01"	51mm			250	600
	10	10	0.55"	14mm	2.01"	51mm			250	600
	15	15	0.55"	14mm	2.01"	51mm			250	600
	40	40	0.83"	21mm	2.99"	76mm			250	600
	45	45	0.83"	21mm	2.99"	76mm			250	600
	60	60	0.83"	21mm	2.99"	76mm			250	600
	70	70	1.06"	27mm	5.87"	149mm	0.71"	18mm	250	600
	80	80	1.06"	27mm	5.87"	149mm	0.71"	18mm	250	600
	90	90	1.06"	27mm	5.87"	149mm	0.71"	18mm	250	600
	100	100	1.06"	27mm	7.13"	181mm	0.71"	18mm	250	600
	110	110	1.57"	40mm	7.13"	181mm	1.10"	28mm	250	600
	125	125	1.57"	40mm	7.13"	181mm	1.10"	28mm	250	600
	150	150	1.57"	40mm	7.13"	181mm	1.10"	28mm	250	600
	175	175	1.57"	40mm	2.01"	51mm	1.10"	28mm	250	600
	400	400	2.13"	54mm	8.62"	219mm	2.01"	51mm	250	600
	450	450	2.60"	66mm	10.39"	264mm	2.01"	51mm	250	600
	600	600	2.60"	66mm	10.39"	264mm	2.01"	51mm	250	600
LPJ	2SP	2	0.83"	21mm	2.24"	57mm			600	500
	2-1/4SP	2¼	0.83"	21mm	2.24"	57mm			600	500
	2-1/2SP	2½	0.83"	21mm	2.24"	57mm			600	500
	3SP	3	0.83"	21mm	2.24"	57mm			600	500
	3-1/2SP	3½	0.83"	21mm	2.24"	57mm			600	500
	4-1/2SP	4½	0.83"	21mm	2.24"	57mm			600	500
	5SP	5	0.83"	21mm	2.24"	57mm			600	500
	6SP	6	0.83"	21mm	2.24"	57mm			600	500
	15SP	15	0.83"	21mm	2.24"	57mm			600	500
	20SP	20	0.83"	21mm	2.24"	57mm			600	500
	25SP	25	0.83"	21mm	2.24"	57mm			600	500
	30SP	30	0.83"	21mm	2.24"	57mm			600	500
	35SP	35	1.06"	27mm	2.36"	60mm			600	500
	40SP	40	1.06"	27mm	2.36"	60mm			600	500
	45SP	45	1.06"	27mm	2.36"	60mm			600	500
	50SP	50	1.06"	27mm	2.36"	60mm			600	500
	60SP	60	1.06"	27mm	2.36"	60mm			600	500
LPJ	1-6/10SP	1⅗	0.83"	21mm	2.24"	57mm			600	500
	1-8/10SP	1⅘	0.83"	21mm	2.24"	57mm			600	500
	2-8/10SP	2⅘	0.83"	21mm	2.24"	57mm			600	500

When ordering, include SYBU- prefix with Type and #. Example: SYBU-ACK100

Cuando realice un pedido incluya el prefijo-SYBU con el tipo y el número de fusible. Ejemplo: SYBU-ACK100

Lorsque vous commandez, n'oubliez pas le préfixe SYBU suivi du type et du numéro de fusible. Exemple : SYBU-ACK100

Type	Fuse #	**Current ▼ Amps**	Fuse Tube Diameter		Length		Width		Voltage AC	Voltage DC
LPJ	3-2/10SP	3⅕	0.83"	21mm	2.24"	57mm			600	500
	5-6/10SP	5⅗	0.83"	21mm	2.24"	57mm			600	500
	17-1/2SP	17½	0.83"	21mm	2.24"	57mm			600	500
	150SP	150	1.61"	41mm	4.61"	117mm	1.14"	29mm	600	500
	175SP	175	1.61"	41mm	5.75"	146mm	1.14"	29mm	600	500
	200SP	200	1.61"	41mm	5.75"	146mm	1.14"	29mm	600	500
	225SP	225	2.13"	54mm	7.13"	181mm	1.61"	41mm	600	500
	250SP	250	2.13"	54mm	7.13"	181mm	1.61"	41mm	600	500
	300SP	300	2.13"	54mm	7.13"	181mm	1.61"	41mm	600	500
	350SP	350	2.13"	54mm	7.13"	181mm	1.61"	41mm	600	500
	400SP	400	2.13"	54mm	7.13"	181mm	1.61"	41mm	600	500
	450SP	450	2.52"	64mm	7.99"	203mm	2.01"	51mm	600	500
	500SP	500	2.52"	64mm	7.99"	203mm	2.01"	51mm	600	500
	600SP	600	2.52"	64mm	7.99"	203mm	2.01"	51mm	600	500
MAX	20	20			Standard blade		1.26"	32mm	32	32
	30	30			Standard blade		1.26"	32mm	32	32
	40	40			Standard blade		1.26"	32mm	32	32
	60	60			Standard blade		1.26"	32mm	32	32
MDA	1/16	1/16	0.25"	6mm	1.25"	32mm			250	250
	15/100	3/20	0.25"	6mm	1.25"	32mm			250	250
	2/10	⅕	0.25"	6mm	1.25"	32mm			250	250
	1/4	¼	0.25"	6mm	1.25"	32mm			250	250
	3/10	3/10	0.25"	6mm	1.25"	32mm			250	250
	3/8	⅜	0.25"	6mm	1.25"	32mm			250	250
	3/4	¾	0.25"	6mm	1.25"	32mm			250	250
	1	1	0.25"	6mm	1.25"	32mm			250	250
	1-1/4	1¼	0.25"	6mm	1.25"	32mm			250	250
	1-1/2	1½	0.25"	6mm	1.25"	32mm			250	250
	1-6/10	1⅗	0.25"	6mm	1.25"	32mm			250	250
	2	2	0.25"	6mm	1.25"	32mm			250	250
	2-1/2	2½	0.25"	6mm	1.25"	32mm			250	250
	3	3	0.25"	6mm	1.25"	32mm			250	250
	3-2/10	3⅕	0.25"	6mm	1.25"	32mm			250	250
	10	10	0.25"	6mm	1.25"	32mm			250	250
	12	12	0.25"	6mm	1.25"	32mm			250	250
	15	15	0.25"	6mm	1.25"	32mm			250	250
	20	20	0.25"	6mm	1.25"	32mm			250	250
	25	25	0.25"	6mm	1.25"	32mm			250	250
	30	30	0.25"	6mm	1.25"	32mm			250	250

Fuses Fusibles Fusibles

When ordering, include SYBU- prefix with Type and #. Example: SYBU-ACK100

Cuando realice un pedido incluya el prefijo-SYBU con el tipo y el número de fusible. Ejemplo: SYBU-ACK100

Lorsque vous commandez, n'oubliez pas le préfixe SYBU suivi du type et du numéro de fusible. Exemple : SYBU-ACK100

Type	Fuse #	**Current ▼ Amps**	Fuse Tube Diameter		Length		Width		Voltage AC	Voltage DC
MDL	2	¼	0.25"	6mm	1.25"	32mm			250	250
	20	¼	0.25"	6mm	1.25"	32mm			250	250
MIN	5	5			Standard blade		1.26"	32mm	32	32
	15	15			Standard blade		1.26"	32mm	32	32
NOS	1	1	0.83"	21mm	5.00"	127mm			250	250
	2	2	0.83"	21mm	5.00"	127mm			250	250
	4	4	0.83"	21mm	5.00"	127mm			250	250
	5	5	0.83"	21mm	5.00"	127mm			250	250
	6	6	0.83"	21mm	5.00"	127mm			250	250
	10	10	0.83"	21mm	5.00"	127mm			250	250
	12	12	0.83"	21mm	5.00"	127mm			250	250
	15	15	0.83"	21mm	5.00"	127mm			250	250
	20	20	0.83"	21mm	5.00"	127mm			250	250
	25	25	0.83"	21mm	5.00"	127mm			250	250
	30	30	0.83"	21mm	5.00"	127mm			250	250
	35	35	1.06"	27mm	5.47"	139mm			250	250
	40	40	1.06"	27mm	5.47"	139mm			250	250
	45	45	1.06"	27mm	5.47"	139mm			250	250
	50	50	1.06"	27mm	5.47"	139mm			250	250
	60	60	1.06"	27mm	5.47"	139mm			250	250
	100	100	1.34"	34mm	7.87"	200mm	0.75"	19mm	250	250
	110	110	1.81"	46mm	9.61"	244mm	1.10"	28mm	250	250
	125	125	1.81"	46mm	9.61"	244mm	1.10"	28mm	250	250
	175	175	1.81"	46mm	9.61"	244mm	1.10"	28mm	250	250
	200	200	1.81"	46mm	9.61"	244mm	1.10"	28mm	250	250
	225	225	2.60"	66mm	11.61"	295mm	1.61"	41mm	250	250
	250	250	2.60"	66mm	11.61"	295mm	1.61"	41mm	250	250
	300	300	2.60"	66mm	11.61"	295mm	1.61"	41mm	250	250
	350	350	0.83"	21mm	11.61"	295mm	1.61"	41mm	250	250
	400	400	2.60"	66mm	11.61"	295mm	1.61"	41mm	250	250
	450	450	3.15"	80mm	13.39"	340mm	2.01"	51mm	250	250
	500	500	0.83"	21mm	13.39"	340mm	2.01"	51mm	250	250
	600	600	3.15"	80mm	13.39"	340mm	2.01"	51mm	250	250
SFE	4	4	0.25"	6mm	0.63"	16mm			32	32
	6	6	0.25"	6mm	0.75"	19mm			32	32
	9	9	0.25"	6mm	0.77"	20mm			32	32
	14	14	0.25"	6mm	1.06"	27mm			32	32
	20	20	0.25"	6mm	1.25"	32mm			32	32
	30	30	0.25"	6mm	1.44"	37mm			32	32

Japanese Fuses **Fusibles Japoneses** Fusibles Japonais

When ordering, include SY- prefix with Type and Amp. Example: SY48LF-150

Cuando realice un pedido incluya el prefijo-SYBU con el tipo y el número de amp. Ejemplo: SY48LF-150

Lorsque vous commandez, n'oubliez pas le préfixe SYBU suivi du type et du numéro de amp. Exemple : SY48LF-150

Type	**Current ▼ Amps**	Fuse Tube Diameter		Length		Width		Voltage AC	DC
48LF	150	0.39"	10mm	3.23"	82mm			150	80
	275	0.83"	21mm	3.19"	81mm	0.98"	25mm	275	96
	400	0.39"	10mm	3.21"	82mm	0.87"	22mm	400	
96LF	175	0.75"	19mm	3.15"	80mm			175	150
	200	0.87"	21mm	3.11"	79mm	1.00"	26mm	200	96
	325	0.40"	10mm	3.21"	82mm	0.87"	22mm	325	
	400	7.48"	19mm	3.15"	80mm			400	96
AC-10	100	1.02"	26mm	3.74"	95mm	1.18"	30mm	100	250
	150	1.02"	26mm	3.74"	95mm	1.18"	30mm	100	250
BF	50	0.91"	23mm	3.08"	78mm	1.02"	26mm	50	150
	100	0.98"	25mm	3.15"	80mm	0.94"	24mm	100	150
	150	0.91"	23mm	3.03"	77mm	1.00"	26mm	150	150
	200	0.98"	25mm	3.04"	77mm	1.00"	26mm	200	150
	225	0.88"	22mm	3.15"	80mm	0.98"	25mm	225	150
	325	1.01"	26mm	3.07"	78mm	1.02"	26mm	325	150
BFN	50	0.89"	23mm	3.13"	80mm	0.98"	25mm	50	150
BFS	100	0.94"	24mm	3.11"	79mm	1.02"	26mm	100	96
	225	0.88"	22mm	3.15"	80mm	0.98"	25mm	225	150
	275	0.85"	22mm	3.13"	80mm	0.99"	26mm	275	96
	520	0.87"	22mm	3.13"	80mm	0.98"	25mm	520	150
BH	75	0.87"	22mm	3.09"	79mm	0.98"	25mm	75	150
	135	0.89"	23mm	3.14"	80mm	0.98"	25mm	135	150
	175	0.89"	23mm	3.15"	80mm	1.00"	26mm	175	150
	400	0.91"	23mm	3.13"	80mm	0.98"	25mm	400	150
	420	0.91"	23mm	3.13"	79mm	1.00"	25mm	420	150
	480	0.91"	23mm	3.13"	80mm	0.99"	25mm	480	150
	500	0.89"	23mm	3.15"	80mm	0.98"	25mm	500	150
KM	75	0.87"	22mm	2.86"	73mm	0.79"	20mm	75	250

Fuse Holders **Portafusibles** Porte-Fusibles

	Description	Volts AC	Max Current Rating	Fuse Type	**Length** ▼	Block Height	Overall Height	Width	Terminals	ROHS
SYBU-HKP	Holder	250	10	3AG	2.23" (Fully assembled) 57mm	48.10" 1222mm	60.00" 1524mm	17.50" 445mm	1.4 Solder	
SYBU-GPM	Holder	250	15	3AG	2.64" (With fuse) 67mm	43.20" 1097mm	57.30" 1455mm	17.80" 452mm	Quick connect	Yes
SY95506	Fuse and holder assembly	250	20	3AG	2.64" (With fuse) 67mm	43.20" 1097mm	57.30" 1455mm	17.80" 452mm	Quick connect	Yes
SYBU-HFB	Waterproof	32	30	3AG	3.00" 76mm		0.75" 19.1mm		Crimp	Yes
SYBU-AF3	Holder	32	60	AGC	3.37" 86mm	1.40" 36mm	2.38" 60mm	1.00" 25mm	#6AWG wire	
SYBU-4164	Block	125	800	ANN ANL	3.38" 86mm	0.55" 14mm	1.62" 41mm	0.95" 24mm	5/16 - 24	
SYBU-ZXT	Block	125	500	MEGA AMG	3.43" 87mm	1.54" 39mm	1.50" 38mm	1.51" 38mm		Yes
SYBU-BLC	Block	125	200	ANE ANF	3.44" 87mm	0.50" 13mm	1.57" 40mm	0.97" 25mm	5/16 - 24	
SY95507 	Holder	250	60	NON	5.00" 127mm	0.09" 2mm	1.65" 42mm	0.96" 24mm	Ear clip	Yes

Circuit Breakers Contracircuitos Disjoncteurs

	Type ▼	Description	Amps	Reset	Terminals
SY509422-001	Blade	Blade	10		
SY95032	Blade	Blade	20		
					
SY95030	Block	Panel surface mount	70	Auto	
SY78281	Block	Panel surface mount	80	Auto	
SY77492	Block	Panel surface mount	105	Auto	
SY78293	Block	Panel surface mount	105	Auto	
SY95035	Block	Panel surface mount	135	Auto	
SY77498	Block	Panel surface mount	150	Auto	

Circuit Breakers Contracircuitos Disjoncteurs

	Type ▼	Description	Amps	Reset	Terminals
SY77623	Round push button	Reset	3	Push button	Blade
SYW58-XB1A4A-3	Round push button	Panel mount	3	Push button	Blade
SYW58-XB1A4A-5	Round push button	Panel surface mount	5	Push button	Blade
SY95036	Round push button	Panel surface mount	5	Push button	
SY95041	Round push button	Panel surface mount	7	Push button	Blade
SYW23-X1A1G-7.50	Round push button	Panel surface mount	7½	Push button	Screw
SYW58-XB1A4A-10	Round push button	Panel surface mount	10	Push button	Blade
SY95037	Round push button	Round surface mount	10	Push button	

Circuit Breakers Contracircuitos Disjoncteurs

	Type ▼	Description	Amps	Reset	Terminals
SYW58-XB1A4A-15	Round push button	Panel mount	15	Push button	Blade
SY95038	Round push button	Round surface mount	15	Push button	
SY95044	Round push button	Panel mount	15	Push button	Blade
SYW23-X1A1G-20	Round push button	Panel mount	20	Push button	Screw
SYW58-XB1A4A-20	Round push button	Panel mount	20	Push button	Blade
SY35457	Round push button		50	Push button	
SY95033	Single pole thermal breaker		10	Auto	Post
SY509401-001	Single pole thermal breaker		15	Auto	Post

Circuit Breakers Contracircuitos Disjoncteurs

	Type ▼	Description	Amps	Reset	Terminals
SY77493	Single pole thermal breaker		20	Auto	Post
SY77494 	Single pole thermal breaker		20	Auto	Tab
SY509402 	Single pole thermal breaker		20	Auto	Post
SY95034	Single pole thermal breaker		20	Auto	Post
SY509403-001	Single pole thermal breaker		30	Auto	Post
SY36386	Single pole thermal breaker		40	Auto	Post
SY77499	Single pole thermal breaker		40	Auto	Post
SY95027	Single pole thermal breaker		50	Manual	Post

Circuit Breakers Contracircuitos Disjoncteurs

	Type ▼	Description	Amps	Reset	Terminals
SY77500	Square rocker push button	Square panel mount	3	Rocker	
SY77495	Square rocker push button	Square panel mount	7	Rocker	
SY95031	Square rocker push button	Square panel mount	10	Rocker	
SY95028	Square rocker push button	Square panel mount	12	Rocker	
SY95029	Square rocker push button	Square panel mount	15	Rocker	
SY30918	Square push button	Square panel mount	10	Push button	
SY28-105404	Round push button	Panel mount	10	Push button	Blade
SY96728	Block	Panel surface mount	30	Auto	Post
SY1244429	Round push button	Panel surface mount	60	Push button	Stud