Parker Fittings & Replacement Dies Accesorios y Moldes Reemplazo Parker Raccords & Remplacement Matrices Parker. . . **1018**
Parker Hose Mangueras Parker Tuyau Parker **1015**
Synflex Fittings Accesorios Synflex Raccords Synflex **1010**
Synflex Hose Mangueras Synflex Tuyau Synflex. **1008**
Synflex Pushers & Dies Moldes y Émbolos Synflex Poussoirs & Matrices Synflex **1013**
Synflex Tools Herramientas Synflex Outils Synflex **1014**
TotalSource® Fittings Accesorios TotalSource® Raccords TotalSource® **1028**
TotalSource® Hose Assemblies Ensamblado de Manguera TotalSource® Boyau assemblé TotalSource® **1029**
Weatherhead Fittings Accesorios Weatherhead Raccords Weatherhead **1024**
Weatherhead Hose Mangueras Weatherhead Tuyau Weatherhead **1021**



16

Hose & Coupling Mangeras y Acoplamientos Tuyau & Accouplements

Synflex Hose Mangueras Synflex Tuyau Synflex

Constant Pressure Hose

	Synflex# ▼	I.D.		O.D.		PSI	Swage Die	Permanent Coupling Series	Rating	Length
SY9104	30CT-03	3/16"	5mm	0.42"	10mm	3,000	303	3903	100R18	Bulk
SY9102	30CT-04	1/4"	6mm	0.48"	12mm	3,000	3W4	3903	100R18	Bulk
SY9112	30CT-04	1/4"	6mm	0.48"	12mm	3,000	3W4	3903	100R18	250'
SY9101	30CT-05	5/16"	8mm	0.61"	16mm	3,000	305	3903	100R18	Bulk
SY9103	30CT-06	3/8"	10mm	0.66"	17mm	3,000	306	3903	100R18	Bulk
SY9113	30CT-06	3/8"	10mm	0.66"	17mm	3,000	306	3903	100R18	250'
SY9100	30CT-08	1/2"	13mm	0.85"	22mm	3,000	A08	3903	100R18	Bulk

High Pressure Hose



	Synflex# ▼	I.D.		O.D.		PSI	Swage Die	Permanent Coupling Series	Rating	Length
SY93213	3R80-04003	1/4"	6mm	0.63"	16mm	5,000	H04	390H	100R8	250'
SY93408	3R80-06003	3/8"	10mm	0.76"	19mm	4,000	H06	390H	100R8	250'

Medium Pressure Hose

	Synflex# ▼	I.D.		O.D.		PSI	Swage Die	Permanent Coupling Series	Rating	Length
SY93218	3130-02003	1/8"	3mm	0.34"	9mm	2,500	302	3903	100R7	50'
SY93210	3130-04003	1/4"	6mm	0.51"	13mm	3,000	304	3903	100R7	Bulk
SY93399	3130-06003	3/8"	10mm	0.67"	17mm	2,250	306	3903	100R7	Bulk
SY93219	3130-06003	3/8"	10mm	0.67"	17mm	2,250	306	3903	100R7	50'
SY93211	3130-08003	1/2"	13mm	0.82"	21mm	2,000	308	3903	100R7	50'

Nylon Tubing

	Synflex# ▼	I.D.		O.D.		PSI	Length
SY93214	4212-462	1/4"	6mm	0.06"	2mm	2,000	Bulk
SY93215	4212-540	5/16"	8mm	0.40"	1mm	1,000	Bulk

Synflex Hose Mangueras Synflex Tuyau Synflex

Twin Line Series

	Synflex# ▼	I.D.		O.D.		PSI	Swage Die	Permanent Coupling Series	Rating	Length
SY9105	30CT-04-2	¼"	6mm	0.48"	12mm	3000	3W4	3903	100R18	Bulk
SY9107	30CT-05-2	5/16"	8mm	0.61"	16mm	3000	305	3903	100R18	Bulk
SY9106	30CT-06-2	3/8"	10mm	0.66"	17mm	3000	306	3903	100R18	Bulk
SY93216	30CT-08-2	½"	13mm	0.85"	22mm	3000	A08	3903	100R18	Bulk

JIC 37 Female Swivel



	Synflex # ▼	Hose I.D.	Dash Size	Thread	Die	Pusher	A	B	I.D.	Hex E	Hex F
SY9207	3903-03544	3/16" 5mm	-4	7/16"-20	303	FPO11	2.16" 55mm	1 3/8" 35mm	0.11" 3mm	9/16"	5/8"
SY9201	3903-04544	1/4" 6mm	-4	7/16"-20	304	FPO12	2.53" 64mm	1 7/16" 37mm	0.16" 4mm	5/8"	5/8"
SY9209	3903-04545	1/4" 6mm	-5	1/2"-20	304	FPO13	2.53" 64mm	1 7/16" 37mm	0.16" 4mm	5/8"	3/4"
SY9205	3903-04546	1/4" 6mm	-6	9/16"-18	304	FPO13	2.53" 64mm	1 7/16" 37mm	0.16" 4mm	5/8"	3/4"
SY9202	3903-05545	5/16" 8mm	-5	1/2"-20	305	FPO13	2.53" 64mm	1 1/4" 32mm	0.22" 6mm	5/8"	3/4"
SY9208	3903-05546	5/16" 8mm	-6	9/16"-18	305	FPO13	2.53" 64mm	1 3/8" 35mm	0.22" 6mm	5/8"	3/4"
SY9204	3903-06548	3/8" 10mm	-8	3/4"-16	306	FPO05	2.81" 71mm	1 3/8" 35mm	0.28" 7mm	3/4"	5/16"
SY9206	3903-08550	1/2" 13mm	-10	7/8"-14	308	FPO06	3.16" 80mm	1 5/8" 41mm	0.39" 10mm	7/8"	11/16"

JIC 37 Male Rigid



	Synflex # ▼	Hose I.D.	Dash Size	Thread	Die	Pusher	A	B	I.D.	Hex E	Hex F
SY9224	3903-03504	3/16" 5mm	-4	7/16"-20	303	MP001	2.05" 52mm	1 1/4" 32mm	0.11" 3mm	9/16"	5/8"
SY9225	3903-04504	1/4" 6mm	-4	7/16"-20	304	MP002	2.30" 58mm	1 1/4" 32mm	0.16" 4mm	5/8"	5/8"
SY9229	3903-06508	3/8" 10mm	-8	3/4"-16	306	MP007	2.69" 68mm	1 3/8" 35mm	0.28" 7mm	5/8"	3/4"
SY9230	3903-08508	1/2" 13mm	-8	3/4"-16	308	MP008	2.88" 73mm	1 7/16" 37mm	0.39" 10mm	5/8"	3/4"
SY9231	3903-08510	1/2" 13mm	-10	7/8"-14	308	MP009	3.10" 79mm	1 7/16" 37mm	0.39" 10mm	3/4"	3/4"

JIC 37 45° Bent Tube Female Swivel



	Synflex # ▼	Hose I.D.	Dash Size	Thread	Die	Pusher	A	B	I.D.	Hex E	Hex F	C
SY9220	3903-06606	3/8" 10mm	-6	9/16"-18	306	TP206	2.92" 74mm	1 1/2" 38mm	0.28" 7mm	3/4"	11/16"	0.59" 15mm
SY9221	3903-06608	3/8" 10mm	-8	3/4"-16	306	TP208	3.10" 79mm	1 5/8" 41mm	0.28" 7mm	3/4"	7/8"	0.71" 18mm

JIC 37 90° Long Bent Tube Female Swivel



	Synflex # ▼	Hose I.D.	Dash Size	Thread	Die	Pusher	A	B	I.D.	Hex E	Hex F	C
SY9235	3903-06846	3/8" 10mm	-6	9/16"-18	306	TP206	2.63" 67mm	1 3/16" 38mm	0.22" 7mm	3/4"	11/16"	2.18" 55mm
SY9236	3903-06848	3/8" 10mm	-8	3/4"-16	306	TP208	2.75" 70mm	1 5/16" 33mm	0.22" 7mm	3/4"	7/8"	2.43" 62mm

JIC 37 90° Short Bent Tube Female Swivel



	Synflex # ▼	Hose I.D.	Dash Size	Thread	Die	Pusher	A	B	I.D.	Hex E	Hex F	C
SY9211	3903-03644	3/16" 5mm	-4	7/16"-20	303	TP204	2.06" 52mm	1 1/4" 32mm	0.11" 3mm	9/16"	9/16"	0.88" 22mm
SY9210	3903-04645	1/4" 6mm	-5	1/2"-20	304	TP205	2.38" 60mm	1 5/16" 33mm	1.00" 25mm	5/8"	5/8"	0.16" 4mm
SY9212	3903-05646	5/16" 8mm	-6	9/16"-18	305	TP206	2.44" 62mm	1 3/16" 30mm	0.22" 6mm	3/4"	11/16"	1.13" 29mm
SY9213	3903-06646	3/8" 10mm	-6	9/16"-18	306	TP206	2.63" 67mm	1 3/16" 30mm	0.28" 7mm	3/4"	11/16"	1.13" 29mm
SY9214	3903-06648	3/8" 10mm	-8	3/4"-16	306	TP208	2.75" 70mm	1 5/16" 33mm	1.38" 33mm	3/4"	7/8"	0.28" 7mm
SY9215	3903-08648	1/2" 13mm	-8	3/4"-16	308	TP308	2.94" 75mm	1 5/16" 33mm	1.38" 33mm	7/8"	7/8"	0.39" 10mm

O-Ring Face Seal Female Swivel 90° Elbow



	Synflex # ▼	Hose I.D.	Dash Size	Thread	Die	Pusher	A	B	I.D.	Hex E	Hex F	C
SY9248	3903-04474	1/4" 6mm	-4	9/16"-18	304	TP204	2.31" 59mm	1.23" 31mm	0.16" 4mm	5/8"	11/16"	0.78" 20mm
SY9249	3903-05476	5/16" 8mm	-6	11/16"-16	305	TP206	2.55" 65mm	1.37" 35mm	0.28" 7mm	3/4"	13/16"	0.90" 23mm
SY9250	3903-06476	3/8" 10mm	-6	11/16"-16	306	TP206	2.74" 70mm	1.43" 36mm	0.28" 7mm	3/4"	13/16"	0.90" 23mm

Straight with Female Swivel, O-Ring Face Seal



	Synflex # ▼	Hose I.D.	Dash Size	Thread	Die	Pusher	A	B	I.D.	Hex E	Hex F
SY9239	3903-04404	1/4" 6mm	-4	9/16"-18	304	MP045	2.60" 66mm	1.52" 39mm	0.16" 4mm	5/8"	11/16"
SY9241	3903-05406	5/16" 8mm	-6	11/16"-16	305	MP037	2.67" 68mm	1.54" 39mm	0.37" 9mm	5/8"	13/16"
SY9242	3903-06406	3/8" 10mm	-6	11/16"-16	306	SP031	2.69" 68mm	1.44" 37mm	0.27" 7mm	3/4"	7/8"
SY93329	3903-06408	3/8" 10mm	-6	13/16"-16	306	MP046	3.04" 77mm	1.78" 45mm	0.27" 7mm	3/4"	15/16"
SY9243	3903-08408	1/2" 13mm	-8	13/16"-16	308	TP308	3.06" 78mm	1.56" 40mm	0.39" 10mm	15/16"	1 1/16"

Synflex Pushers & Dies **Moldes y Émbolos Synflex** Poussoirs & Matrices Synflex

	Synflex # ▼	Description
SY9306	4599-MP001	Male Pusher
SY9307	4599-MP002	Male Pusher
SY93158	4599-MP004	Male Pusher
SY9308	4599-MP005	Male Pusher
SY9309	4599-MP007	Male Pusher
SY9310	4599-MP008	Male Pusher
SY9311	4599-MP009	Male Pusher
SY93159	4599-MP011	Male Pusher
SY9325	4599-MP045	Male Pusher
SY9326	4599-MP046	Male Pusher
SY93079	4599-FP002	Female Pusher
SY9331	4599-FP005	Female Pusher
SY9312	4599-FP006	Female Pusher
SY93160	4599-FP008	Female Pusher
SY93081	4599-FP010	Female Pusher
SY9313	4599-FP011	Female Pusher
SY9314	4599-FP012	Female Pusher
SY9315	4599-FP013	Female Pusher
SY9316	4599-FP015	Female Pusher
SY9317	4599-FP016	Female Pusher
SY93161	4599-FP017	Female Pusher
SY93080	4599-SP031	Female Pusher
SY9318	4599-TP204	Bent Tube Pusher
SY9319	4599-TP205	Bent Tube Pusher
SY9320	4599-TP206	Bent Tube Pusher

	Synflex # ▼	Description
SY9321	4599-TP208	Bent Tube Pusher
SY9322	4599-TP308	Bent Tube Pusher
SY9323	4599-TP310	Bent Tube Pusher
SY93082	4599-TP312	Bent Tube Pusher
SY93162	4540-30200	Swage Die
SY9336	4540-30300	Swage Die
SY9327	4540-30400	Swage Die
SY9328	4540-30500	Swage Die
SY9329	4540-30600	Swage Die
SY9330	4540-30800	Swage Die
SY93078	4540-J06N0	Swage Die
SY93163	4540-31200	Swage Die
SY93164	4540-31600	Swage Die
SY93165	4540-H0300	Swage Die
SY93166	4540-H0400	Swage Die
SY93167	4540-H0600	Swage Die
SY93168	4540-H0800	Swage Die
SY93169	4540-H1200	Swage Die
SY93170	4540-H1600	Swage Die
SY93171	4540-B1600-001	Swage Die
SY93172	4574-03000-003	Swage Die - Twin Line
SY93173	4574-03000-022	Swage Die - Twin Line
SY93174	4574-03000-011	Swage Die - Twin Line
SY93175	4574-03000-014	Swage Die - Twin Line

Synflex Tools Herramientas Synflex Outils Synflex

	Synflex # ▼	Description
SY9305	4504-00000	Vise block

	Synflex # ▼	Description
SY9301	4530-01002	Mark X manual swaging tool

	Synflex # ▼	Description
SY9333	4523-04005	Replacement blade for SY9303
SY9303	4523-04006	Hand held hose cutter

	Synflex # ▼	Description
SY9304	4573-00000	Multi line hose separation tool
SY9334	4573-01000	Replacement blade for SY9304

	Synflex # ▼	Description
SY9302	4523-04007	Bench mounted hose cutter
SY93153	4523-04008	Replacement blade for SY9302

201 Medium Pressure Hose



	Parker # ▼	I.D.	Max O.D.	PSI	Rating
SY9140	201-4	3/16" 5mm	0.52" 13mm	3,000	100R5
SY9141	201-5	1/4" 6mm	0.58" 15mm	3,000	100R5
SY9142	201-6	5/16" 8mm	0.68" 17mm	2,250	100R5
SY9143	201-8	13/32" 10mm	0.77" 20mm	2,000	100R5

301 No-Skive High Pressure Hose



	Parker # ▼	I.D.	Max O.D.	PSI	Rating
SY9150	301-4	1/4" 6mm	0.59" 15mm	5,000	100R2
SY9151	301-6	3/8" 10mm	0.75" 19mm	4,000	100R2
SY9152	301-8	1/2" 13mm	0.88" 22mm	3,500	100R2
SY9153	301-10	5/8" 16mm	1.00" 25mm	2,750	100R2

421 No-Skive High Pressure Hose



	Parker # ▼	I.D.	Max O.D.	PSI	Rating
SY9160	421-4	1/4" 6mm	0.53" 13mm	2,750	100R1
SY9161	421-6	3/8" 10mm	0.68" 17mm	2,250	100R1
SY9162	421-8	1/2" 13mm	0.81" 21mm	2,000	100R1

431 No-Skive High Pressure Hose



	Parker # ▼	I.D.	Max O.D.	PSI	Rating
SY9170	431-4	1/4" 6mm	0.52" 13mm	5,000	100R7
SY9171	431-6	3/8" 10mm	0.68" 17mm	4,000	100R7
SY9172	431-8	1/2" 13mm	0.81" 21mm	3,500	100R7

451-TC Tough Cover Constant Pressure Hose



	Parker # ▼	I.D.	Max O.D.	PSI	Rating
SY93660	451TC-4	1/4" 6mm	0.52" 13mm	3,000	100R1
SY93661	451TC-6	3/8" 10mm	0.68" 17mm	3,000	100R1
SY93662	451TC-8	1/2" 13mm	0.81" 21mm	3,000	100R1
SY93663	451TC-10	5/8" 16mm	0.91" 23mm	3,000	100R1
SY93664	451TC-12	5/8" 19mm	1.09" 28mm	3,000	100R1
SY93665	451TC-16	5/8" 25mm	1.40" 36mm	3,000	100R1

560 Parflex Hose



	Parker # ▼	I.D.	Max O.D.	PSI	Rating
SY93666	560-4	1/4" 6mm	0.51" 13mm	3,250	100R1
SY93667	560-5	5/16" 8mm	0.57" 14mm	3,000	100R1
SY93668	560-6	3/8" 10mm	0.64" 16mm	2,750	100R1
SY93669	560-8	1/2" 13mm	0.80" 20mm	2,500	100R1

560 Parflex Twin Hose



	Parker # ▼	I.D.	Max O.D.	PSI	Rating
SY93689	560-6-6	3/8" 10mm	0.64" 16mm	2,750	100R1
SY93690	560-8-8	1/2" 13mm	0.80" 20mm	2,750	100R1

Parker Hose Mangueras Parker Tuyau Parker

801 Push-Lok Low Pressure Hose



	Parker # ▼	I.D.	Max O.D.	PSI
SY9130	801-4	1/4" 6mm	0.50" 13mm	250
SY9131	801-6	3/8" 10mm	0.63" 16mm	250
SY9132	801-8	1/2" 13mm	0.78" 20mm	250
SY9133	801-10	5/8" 16mm	0.91" 23mm	250

831 Push-Lok Low Pressure Hose



	Parker # ▼	I.D.	Max O.D.	PSI
SY9180	831-4	1/4" 6mm	0.50" 13mm	350
SY9181	831-6	3/8" 10mm	0.63" 16mm	300
SY9182	831-8	1/2" 13mm	0.78" 20mm	300
SY9183	831-10	5/8" 16mm	0.91" 23mm	300

53DM Series Parflex Hose



	Parker #▼	I.D.	Max O.D.	PSI
SY93603	53DM-3	3/16" 5mm	0.43" 11mm	3,000
SY93604	53DM-4	1/4" 6mm	0.49" 13mm	3,000
SY93605	53DM-5	5/16" 8mm	0.60" 16mm	3,000
SY93606	53DM-6	3/8" 10mm	0.72" 18mm	3,000
SY93608	53DM-8	1/2" 13mm	0.89" 23mm	3,000
SY93610	53DM-10	5/8" 16mm	1.00" 25mm	3,000

Parker Fittings & Replacement Dies
Accesorios y Moldes Reemplazo Parker Raccords & Remplacement Matrices Parker

20 Series Male SAE JIC 37°



	Parker # ▼	Dash Size	Hose I.D.	Dash Size	Thread	A	Hex B
SY9428	20320-6-6	-6	5/16" 7mm	-6	9/16"-18	2.12" 53mm	5/8"
SY9429	20320-8-8	-8	13/32" 10mm	-8	3/4"-16	2.57" 65mm	13/16"

20 Series Female JIC 37° Swivel 45° Elbow



	Parker # ▼	Dash Size	Hose I.D.	Dash Size	Thread	A	Hex B
SY9435	20320-4-4	-4	3/16" 5mm	-4	7/16"-20	2.08" 53mm	9/16"
SY9436	20320-6-6	-6	5/16" 7mm	-6	9/16"-18	2.45" 62mm	11/16"
SY9437	20320-8-8	-8	13/32" 10mm	-8	3/4"-16	3.12" 79mm	7/8"

20 Series Female SAE JIC 37° Swivel 90° Elbow



	Parker # ▼	Dash Size	Hose I.D.	Dash Size	Thread	A	Hex B
SY9440	23920-6-6	-6	5/16" 8mm	-6	9/16"-18	2.35" 60mm	11/16"

20 Series Male Pipe NPTF



	Parker # ▼	Dash Size	Hose I.D.	Dash Size	Thread	A	Hex B
SY9445	20120-4-5	-4	1/4" 6mm	-5	1/4"-18	1.96" 50mm	9/16"
SY9446	20120-4-6	-4	5/16" 8mm	-6	1/4"-18	2.13" 54mm	9/16"
SY9447	20120-6-6	-6	5/16" 8mm	-6	3/8"-18	2.20" 56mm	9/16"

Parker Fittings & Replacement Dies

Accesorios y Moldes Reemplazo Parker Raccords & Remplacement Matrices Parker

22 Series Male NPTF Pipe Rigid Straight



	Parker # ▼	Dash Size	Hose I.D.	Dash Size	Thread	A	Hex B
SY86596	20122-4-6B	-12	5/16" 6mm	-6	1/4"-18	2.13" 54mm	9/16"

30 Series Male NPTF Pipe



	Parker # ▼	Dash Size	Hose I.D.	Dash Size	Thread	A	Hex B
SY9462	20130-6-6	-6	3/8" 10mm	-6	3/8"-18	2.60" 66mm	3/4"

42 Series Female SAE JIC 37° Swivel



	Parker # ▼	Dash Size	Hose I.D.	Dash Size	Thread	A	Hex B
SY9519	20642-6-6	-6	3/8" 10mm	-6	9/16"-18	2.75" 70mm	11/16"
SY9520	20642-8-6	-8	3/8" 10mm	-6	3/4"-16	2.87" 73mm	7/8"
SY9521	20642-8-8	-8	1/2" 13mm	-8	3/4"-16	3.10" 79mm	7/8"

43 Series Female SAE JIC 37° Swivel



	Parker # ▼	Dash Size	Hose I.D.	Dash Size	Thread	A	Hex B
SY9480	13743-6-6	-6	3/8" 10mm	-6	9/16"-18	2.39" 61mm	11/16"
SY9482	13743-8-8	-8	1/2" 13mm	-8	3/4"-16	2.88" 73mm	7/8"
SY9484	13743-10-10	-10	5/8" 16mm	-10	7/8"-14	3.29" 84mm	7/8"

Parker Fittings & Replacement Dies

Accesorios y Moldes Reemplazo Parker Raccords & Remplacement Matrices Parker

43 Series Female "Seal-Lok" Swivel 90° Elbow (Short)



	Parker # ▼	Dash Size	Hose I.D.	Dash Size	Thread	A	Hex B
SY9518	1J943-6-6	-6	3/8" 10mm	-6	11/16"-16	2.28" 58mm	13/16"
SY9534	1J943-8-8	-8	1/2" 13mm	-8	13/16"-16	2.64" 67mm	15/16"
SY9527	1J943-10-10	-10	5/8" 16mm	-10	1"-14	3.05" 77mm	1 1/8"
SY9620	1J943-12-10	-12	5/8" 16mm	-10	13/16"-12	3.49" 89mm	1 3/8"

43 Series Female JIC 37° Swivel 90° Elbow (Short)



	Parker # ▼	Dash Size	Hose I.D.	Dash Size	Thread	A	Hex B
SY9486	13943-4-4	-4	1/4" 6mm	-4	7/16"-20	1.83" 46mm	9/16"
SY9487	13943-6-6	-6	3/8" 10mm	-6	9/16"-18	2.28" 58mm	11/16"
SY9488	13943-8-8	-8	1/2" 13mm	-8	3/4"-16	2.65" 67mm	7/8"
SY9490	13943-10-10	-10	5/8" 16mm	-10	7/8"-14	3.09" 78mm	1"

43 Series Female "Seal-Lok" Swivel Straight (Close Nut)



	Parker # ▼	Dash Size	Hose I.D.	Dash Size	Thread	A	Hex B
SY9515	1JC43-4-4	-4	1/4" 6mm	-4	9/16"-18	1.63" 41mm	11/16"
SY9516	1JC43-6-6	-6	3/8" 10mm	-6	11/16"-16	1.94" 49mm	13/16"
SY9517	1JC43-8-8	-8	1/2" 13mm	-8	13/16"-16	2.22" 56mm	15/16"
SY9624	1JC43-12-10	-12	5/8" 16mm	-10	13/16"-12	2.65" 67mm	1 3/8"

Parker Replacement Dies	Die Color	Dash Size	Size ▼	Type
SY9540	Red	-4	1/4" 6mm	43 Series
SY9541	Purple	-5	5/16" 8mm	44 Series
SY9542	Yellow	-6	3/8" 10mm	45 Series

H425 High Pressure Hydraulic Hose



	Weatherhead # ▼	Rating	I.D.		O.D.		PSI
SY93511	H42504	SAE 100R2 Type AT	1/4"	6mm	19/32"	15mm	5,000
SY93510	H42506	SAE 100R2 Type AT	3/8"	10mm	3/4"	19mm	4,000
SY93227	H42508-50	SAE 100R2 Type AT	1/2"	13mm	7/8"	22mm	3,500
SY93226	H42510-50	SAE 100R2 Type AT	5/8"	16mm	1"	24mm	2,750
SY93512	H42512	SAE 100R2 Type AT	3/4"	19mm	1 5/32"	29mm	2,250

H245 High Pressure Hydraulic Hose

	Weatherhead # ▼	Rating	I.D.		O.D.		PSI
SY93229	H24506-50	SAE 100R16, ABS	3/8"	10mm	2/3"	16mm	4,000
SY93228	H24508-50	SAE 100R16, ABS	1/2"	13mm	4/5"	21mm	3,500

H069 General Purpose Truck Hose

	Weatherhead # ▼	Rating	I.D.		O.D.		PSI
SY93244	H06904-50	SAE 100R5, SAE J1402 Type II, DOT A11, ABS	1/5"	5mm	1/2"	13mm	3,000
SY93513	H06906	SAE 100R5, SAE J1402 Type II, DOT A11, ABS	5/16"	8mm	2/3"	17mm	2,250
SY93243	H06908-50	SAE 100R5, SAE J1402 Type II, DOT A11, ABS	2/5"	10mm	7/9"	19mm	2,000

H115 Boston Performer II Oil Resistant

	Weatherhead # ▼	Rating	I.D.		O.D.		PSI
SY93233	H11516		1"	25mm	1 4/9"	37mm	300

H145 Hydraulic Hose



	Weatherhead # ▼	Rating	I.D.		O.D.		PSI
SY93232	H14504-50	SAE 100R17	1/4"	6mm	1/2"	13mm	3,045
SY93231	H14506-50	SAE 100R17	3/8"	10mm	10/16"	16mm	3,045
SY93230	H14508	SAE 100R17	1/2"	13mm	13/16"	21mm	3,046

Weatherhead Hose Mangueras Weatherhead Tuyau Weatherhead

H104 Hydraulic Hose

	Weatherhead # ▼	Rating	I.D.		O.D.		PSI
SY93236	H10404-50	SAE 100R1 Type AT,ABS	1/4"	6mm	5/9"	14mm	2,750
SY93235	H10406-50	SAE 100R1 Type AT,ABS	3/8"	10mm	5/7"	18mm	2,250
SY93234	H10408-50	SAE 100R1 Type AT,ABS	1/2"	13mm	5/6"	21mm	2,000

H101 General Purpose Hose

	Weatherhead # ▼	Rating	I.D.		O.D.		PSI
SY93240	H10104-50		1/4"	6mm	1/2"	13mm	350
SY93239	H10106-50		3/8"	10mm	5/8"	16mm	350
SY93238	H10108-50		1/2"	13mm	3/4"	19mm	350
SY93514	H10110		5/8"	16mm	29/32"	23mm	350
SY93237	H10112-50		3/4"	19mm	1"	26mm	350

H100 General Purpose Hose

	Weatherhead # ▼	Rating	I.D.		O.D.		PSI
SY93242	H10005		1/3"	8mm	5/9"	14mm	350
SY93241	H10010-50		5/8"	16mm	8/9"	23mm	350

H057 Fuel Line Hose

	Weatherhead # ▼	Rating	I.D.		O.D.		PSI
SY93245	H05705-100R	SAE 30R7	5/16"	8mm	5/9"	14mm	50

H009 General Purpose Hose

	Weatherhead # ▼	Rating	I.D.	O.D.	PSI
SY93246	H00905-25R	SAE 100R6	5/16" 8mm	9/16" 14mm	400

90° Elbow Extra Long Straight Thread O-Ring





	Weatherhead # ▼	Tube O.D.	Port Size	D	D1	M	N	Across Flats
SY93286	C5515X6LL	3/8" 9mm	3/8" 9mm	0.30" 7mm	0.30" 7mm	1.06" 26mm	2.08" 52mm	5/8"

90° Elbow Straight Thread O-Ring





	Weatherhead # ▼	Tube O.D.	Port Size	D	D1	M	N	Across Flats
SY93287	C5515X6X4	3/8" 9mm	1/4" 6mm	0.30" 7mm	0.17" 4mm	1.06" 26mm	1.09" 26mm	5/8"

Bulkhead Union





	Weatherhead # ▼	Tube O.D.	Hex C	D	I	L
SY93279	C5325X6	3/8" 9mm	13/16" 20mm	0.30" 7mm	1.31" 33mm	2.18" 55mm

Female For-Seal Swivel Straight



	Weatherhead # ▼	Hose I.D.	Tube Size	Thread Size	A	Hose Cut-Off Factor	Hole Diameter	Hex E	Hex F
SY93266	06U-S66	3/8" 9mm	3/8" 9mm	11/16"-16	2.64" 67mm	1.21" 30mm	0.26" 6mm	11/16"	13/16"

JIC 37° Female Swivel



	Weatherhead # ▼	Hose I.D.	Pipe Size	Thread Size	A	Hose Cut-Off Factor	Hole Diameter	Hex E	Hex F
SY93253	04U-604	1/4" 6mm	1/4" 6mm	7/16"-20	2.61" 66mm	1.13" 28mm	0.16" 4mm	9/16"	9/16"
SY93254	04U-606	1/4" 6mm	3/8" 9mm	9/16"-18	2.72" 69mm	1.25" 31mm	0.16" 4mm	9/16"	5/8"
SY93255	05E-606	5/16" 7mm	3/8" 9mm	9/16"-18	2.12" 53mm	1.19" 30mm	0.22" 5mm	9/16"	11/16"
SY93258	06E-606	3/8" 9mm	3/8" 9mm	9/16"-18	2.19" 55mm	1.25" 31mm	0.27" 6mm	9/16"	11/16"
SY93262	06U-606	3/8" 9mm	3/8" 9mm	9/16"-18	2.77" 70mm	1.31" 33mm	0.25" 6mm	11/16"	11/16"
SY93263	06U-608	3/8" 9mm	1/2" 12mm	3/4"-16	2.86" 72mm	1.44" 36mm	0.25" 6mm	11/16"	7/8"
SY93267	08U-608	1/2" 12mm	1/2" 12mm	3/4"-16	2.79" 70mm	1.38" 35mm	0.36" 9mm	13/16"	7/8"
SY93268	08U-610	1/2" 12mm	5/8" 15mm	7/8"-14	3.00" 76mm	1.56" 39mm	0.36" 9mm	13/16"	1"

JIC 37° Female Swivel



	Weatherhead # ▼	Hose I.D.	Pipe Size	Thread Size	A	Hose Cut-Off Factor	Hole Diameter	Hex D	Hex E
SY93272	24706N-606	15/16" 7mm	3/8" 9mm	9/16"-18	2.35" 59mm	11/16" 17mm	0.25" 6mm	13/16"	11/16"

JIC 37° Female Swivel 90° Tube Elbow



	Weatherhead # ▼	Hose I.D.	Tube Size	Thread Size	A	B	Hole Diameter	Hex F
SY93264	06U-666	3/8" 9mm	3/8" 9mm	9/16"-18	3.20" 81mm	0.85" 21mm	1.75" 44mm	11/16"

JIC 37° Male Rigid



Weatherhead # ▼	Hose I.D.	Tube Size	Thread Size	A	Hose Cut-Off Factor	Hole Diameter	Hex E
SY93257	06E-506	3/8" 9mm	3/8" 9mm	9/16"-18	1.92" 48mm	1.00" 25mm	0.27" 6mm	5/8"
SY93260	06U-506	3/8" 9mm	3/8" 9mm	9/16"-18	2.54" 64mm	1.00" 25mm	0.25" 6mm	11/16"
SY93261	06U-508	3/8" 9mm	1/2" 12mm	3/4"-16	2.67" 67mm	1.25" 31mm	0.25" 6mm	13/16"

Female JIS 30º Flare Parallel Pipe Swivel



Weatherhead # ▼	Hose I.D.	Tube Size	Thread Size	A	Hose Cut-Off Factor	Hole Diameter	Hex E	Hex F
SY93259	06U-06L	3/8" 9mm	3/8" 9mm	3/8"-19	2.84" 2mm	1.38" 46mm	0.25" 6mm	11/16"	3/4"

Male Pipe Rigid



Weatherhead # ▼	Hose I.D.	Pipe Size	Thread Size	A	Hose Cut-Off Factor	Hole Diameter	Hex D	Hex E
SY93270	24706N-104	5/16" 7mm	1/4" 6mm	1/4"-18	2.08" 52mm	1.25" 31mm	0.25" 6mm	13/16"	9/16"

SAE 45° Female Swivel



Weatherhead # ▼	Hose I.D.	Tube Size	Thread Size	A	Hose Cut-Off Factor	Hole Diameter	Hex E	Hex F
SY93256	06906E-406	5/16" 7mm	3/8" 9mm	5/8"-18	2.18" 55mm	1.13" 28mm	0.24" 6mm	9/16"	3/4"

SAE 45° Flare Female Swivel



	Weatherhead # ▼	Hose I.D	Pipe Size	Thread Size	A	Hose Cut-Off Factor	Hole Diameter	Hex D	Hex E
SY93271	24706N-406	5/16" 7mm	3/8" 9mm	5/8"-18	2.36" 59mm	1.46" 37mm	0.25" 6mm	13/16"	3/4"

Fittings

	Weatherhead #	Synflex #	**Parker #** ▼	Tube O.D.	Thread Size	Fitting Type
SY9227	05E-505	3903-05505	10355-5-5	5/16"	1/2"-20	JIC 37° male rigid
SY9228	06E-506	3903-06506	10355-6-6	3/8"	9/16"-18	JIC 37° male rigid
SY9203	06E-606	3903-06546	10655-6-6	3/8"	9/16"-18	JIC 37° female swivel
SY9200	33608E-608	3903-08548	10658-8-8	1/2"	3/4"-16	JIC 37° female swivel

Elbows and Adapters

	Weatherhead #	Synflex #	**Parker #** ▼	Tube O.D.	Port Size	Fitting Type
SY24750	C5315X6X8		6-8F50X-S	3/8"	1/2"	Straight thread connector
SY9574	4515X6		6C50LO-S	3/8"	1/4"	90° elbow straight thread O-Ring
SY37589	C5515X6		6C50X-S	3/8"	3/8"	90° elbow straight thread O-Ring
SY93284	C5506X6		6C6X-S	3/8"	9/16"	90° elbow swivel nut
SY58705	54X6		6VTX-B	3/8"	1/4"-18	Female to male adapter
SY93288	C5525X6		6WETX-WLN-S	3/8"	3/8"	90° elbow straight thread O-Ring
SY44774	C5515X8		8C50X-S	1/2"	3/8"	90° elbow straight thread O-Ring

Caps and Plugs

	Weatherhead #	Synflex #	**Parker #** ▼	Tube O.D.	Port Size	Fitting Type
SY93285	C5515X4		4C50X-S	1/4"	1/4"	90° elbow straight thread O-Ring
SY43645	C5315X6X4		6-4F50X-S	3/8"	7/16"-20	JIC straight thread connectors
SY24729	C5129X6		6FNTX-S	3/8"	11/16"	JIC 37° flare twin cap
SY9593	7238X8		8-HP50N-S		3/4"-16	Hollow hex plug
SY41934	C5129X8		8FNTX-S	1/2"	7/8"	JIC 37° flare twin cap
SY24716	C5515X10		10C50X-S	5/8"	5/8"	90° elbow straight thread O-Ring
SY93280	C5506X10		10C6X-S	5/8"	1"	90° elbow swivel nut
SY24714	C5315X10		10F50X-S	5/8"	7/8"-14	JIC straight thread connectors
SY93274	48X6		48F-6-4	3/8"	1/4"	Straight thread connector

	Used On ▼	Overall Length	
SY93340	Allis Chalmers	9.84"	250mm
SY93563	Baker Linde	9.13"	232mm
SY93561	Baker Linde	79.92"	2030mm
SY93578	Baker Linde	81.38"	2067mm
SY93579	Baker Linde	169.76"	4312mm
SY93875	Bobcat	23.62"	600mm
SY93560	Bobcat	25.79"	655mm
SY800866	Cascade	15.75"	400mm
SY93843	Cascade	17.79"	452mm
SY93564	Cascade	106.69"	2710mm
SY93879	Cascade	197.99"	5029mm
SY93565	Cascade, Crown	12.40"	315mm
SY93567	Cascade, Crown	40.55"	1030mm
SY93566	Cascade, Crown, Baker Linde	187.00"	4750mm
SY93572	Caterpillar	16.73"	425mm
SY42492	Clark	8.46"	215mm
SY42494	Clark	11.02"	280mm
SY93568	Clark	12.99"	330mm
SY42495	Clark	12.99"	330mm
SY42144	Clark	16.73"	425mm
SY42499	Clark	22.24"	565mm
SY42500	Clark	24.02"	610mm
SY42242	Clark	25.98"	660mm
SY42502	Clark	37.99"	965mm
SY93569	Clark	146.00"	3708mm
SY42148	Clark	32.00"	812mm
SY93571	Crown	97.04"	2465mm
SY93570	Crown	147.00"	3733mm
SY93573	Daewoo	95.28"	2420mm
SY93574	Genie	32.24"	895mm
SY93575	Genie	53.15"	1350mm
SY45191	Hyster	7.87"	200mm

	Used On ▼	Overall Length	
SY81552	Hyster	14.96"	380mm
SY93370	Hyster	19.68"	500mm
SY93576	Hyster	187.00"	4750mm
SY93577	JLG	53.54"	1360mm
SY93860	Komatsu	42.13"	1070mm
SY93562	Linde	109.29"	2776mm
SY28-102798	MEC	17.32"	440mm
SY28-102802	MEC	22.24"	565mm
SY28-102800	MEC	28.74"	730mm
SY28-102805	MEC	32.00"	813mm
SY28-102799	MEC	33.46"	850mm
SY28-102803	MEC	37.99"	965mm
SY28-102806	MEC	47.24"	1200mm
SY28-102804	MEC	55.91"	1420mm
SY28-102801	MEC	67.72"	1720mm
SY108089	Mitsubishi	18.11"	460mm
SY108081	Mitsubishi	30.91"	785mm
SY93201	Mitsubishi, Raymond	70.87"	1800mm
SY93580	Nissan	21.89"	556mm
SY94283	Raymond	20.00"	508mm
SY93047	Raymond	72.37"	1838mm
SY109005	Skyjack	31.30"	795mm
SY109004	Skyjack	31.50"	800mm
SY82494	Taylor Dunn	17.52"	445mm
SY82495	Taylor Dunn	23.62"	600mm
SY93582	TCM	52.36"	1330mm
SY93581	TCM	56.30"	1430mm
SY37594	Toyota	20.00"	508mm
SY52329	Yale	8.54"	217mm
SY93583	Yale	9.64"	245mm
SY33137	Yale	19.68"	500mm
SY33117	Yale	80.32"	2040mm
SY56928	Yale	219.29"	5570mm