Bushings Cojinetes Bagues **1724**
Cable Track Guía de Cable Chemins de Câble **1742**
Hose Guards Protección para Mangueras Garde Hydraulique De Tuyau **1743**
Shafts Ejes Arbres **1736**
Sheaves Poleas y Roldanas Roues Poulie **1730**
Wear Pads Almohadillas de Desgaste Glissères **1738**

31

Upright Mástiles Mât

Bushings Cojinetes Bagues

	Type ▼	Description	Length		Width		Inner Material	Outer Material
SY59414	With collar away from sides	Trunnion	5.00"	127mm	1.20"	31mm	Fiber	Fiber
								
SY34817	With collar away from sides	Mast	5.08"	129mm	1.10"	27mm	Synthetic	Synthetic
								
SY34819	With collar away from sides	Mast	5.24"	133mm	1.20"	30mm	Nylon	Nylon
								
SY34818	With collar away from sides	Mast	5.71"	145mm	1.30"	34mm	Nylon	Nylon
								
SY34816	With collar away from sides	Mast	5.79"	147mm	1.10"	27mm	Synthetic	Synthetic
								

Bushings Cojinetes Bagues

	Type ▼	Description	Length		Width		Inner Material	Outer Material
SY1244493	With external groove 	Upright mounting	2.17"	55mm	1.46"	37mm	Bronze	Bronze
SY45320	With external groove 	Mast	2.44"	62mm	2.40"	62mm	Fiber	Fiber
SY54122	With external groove 	Mast support	4.49"	114mm	1.00"	25mm	Synthetic	Synthetic
SY51921	With external groove 	Mast mounting	4.84"	123mm	1.40"	36mm	Fiber	Fiber
SY51547	With external groove 	Upright mounting	5.00"	127mm	1.00"	25mm	Synthetic	Synthetic
SY31540	With external groove 	Mast mounting	5.08"	129mm	1.40"	36mm	Synthetic	Synthetic
SY54123	With external groove 	Mast support	5.12"	130mm	1.10"	28mm	Synthetic	Synthetic

Bushings Cojinetes Bagues

	Type ▼	Description	Length		Width		Inner Material	Outer Material
SY80172	With external groove	Mast support	5.59"	142mm	1.30"	32mm	Fiber	Fiber
								
SY107757	With external groove	Upright mounting	6.42"	163mm	1.57"	40mm	Fiber	Fiber
								
SY59413	With external groove	Mast support	7.05"	179mm	1.60"	40mm	Synthetic	Synthetic
								
SY51922	With external groove	Mast support	8.66"	220mm	1.30"	32mm	Fiber	Fiber
								
SY87479	With internal groove	Mast support	2.36"	60mm	1.10"	28mm	Nylon	Nylon
								
SY1244495	With internal groove	Upright mounting	4.33"	110mm	1.26"	32mm	Synthetic	Synthetic
								
SY107754	With internal groove	Upright mounting	4.92"	125mm	1.18"	30mm	Synthetic	Synthetic
								

Bushings Cojinetes Bagues

	Type ▼	Description	Length		Width		Inner Material	Outer Material
SY34823	With internal groove	Upright mounting	5.59"	142mm	1.26"	32mm	Fiber	Fiber
								
SY1244494	With internal groove	Upright mounting	5.67"	144mm	0.79"	20mm	Fiber	Fiber
								
SY45133	With internal groove	Upright mounting	5.82"	148mm	1.57"	40mm	Fiber	Fiber
								
SY1237209	With internal groove	Upright mounting	6.69"	170mm	1.18"	30mm	Fiber	Fiber
								
SY59410	Without grooves	Mast support	1.93"	49mm	1.00"	25mm	Nylon	Nylon
								
SY59408	Without grooves	Mast	2.17"	55mm	1.70"	44mm	Fiber	Fiber
								
SY31776	Without grooves	Mast	4.17"	106mm	1.00"	25mm	Synthetic	Synthetic
								

Bushings Cojinetes Bagues

	Type ▼	Description	Length		Width		Inner Material	Outer Material
SY45609	Without grooves	Mast mount	4.33"	110mm	1.30"	32mm	Synthetic	Synthetic
								
SY59407	Without grooves	Mast	4.53"	115mm	1.20"	31mm	Synthetic	Synthetic
								
SY31753	Without grooves	Upright mounting	4.65"	118mm	1.40"	35mm	Fiber	Fiber
								
SY34820	Without grooves	Mast	4.69"	119mm	1.30"	32mm	Fiber	Fiber
								
SY59409	Without grooves	Mast	4.88"	124mm	1.20"	30mm	Synthetic	Synthetic
								
SY34825	Without grooves	Mast	4.96"	126mm	1.00"	25mm	Nylon	Nylon
								
SY48302	Without grooves	Mast support	5.31"	135mm	1.30"	34mm	Fiber	Fiber
								
SY51923	Without grooves	Mast mounting	5.35"	136mm	1.40"	36mm	Synthetic	Synthetic
								

Bushings Cojinetes Bagues

	Type	Description	Length		Width		Inner Material	Outer Material
SY59411	Without grooves	Mast support	5.39"	137mm	1.40"	36mm	Synthetic	Synthetic
								
SY31730	Without grooves	Upright mounting	5.47"	139mm	1.60"	40mm	Fiber	Fiber
								
SY59412	Without grooves	Mast support	5.51"	140mm	1.50"	39mm	Nylon	Nylon
								
SY34811	Without grooves	Mast support	6.97"	177mm	1.00"	25mm	Steel metal	Bronze
								
SY1244476	Without grooves	Upright mounting	8.11"	206mm	0.91"	23mm	Synthetic	Synthetic
								

Sheaves **Poleas y Roldanas** Roues Poulie

		Height ▼	Largest O.D.	Composite Material	Grooves
SY73799		0.80" 20mm	4.33" 110mm	PVC	1
SY41499		0.83" 21mm	3.98" 101mm	Aluminum	1
SY73755		0.88" 22mm	4.06" 103mm	PVC	1
SY34874		0.91" 23mm	4.02" 102mm	Metal	1
SY73764		0.92" 23mm	5.88" 149mm	PVC	1
SY73751		0.94" 24mm	5.39" 137mm	PVC	1

Sheaves Poleas y Roldanas Roues Poulie

		Height ▼	Largest O.D.	Composite Material	Grooves
SY73783		0.97" 25mm	3.82" 97mm	PVC	1
SY73756		0.98" 25mm	4.13" 105mm	PVC	1
SY73791		0.98" 25mm	5.20" 132mm	PVC	1
SY34875		1.00" 26mm	5.31" 135mm	PVC	1
SY73774		1.06" 27mm	5.24" 133mm	PVC	1
SY34868		1.09" 28mm	2.36" 60mm	PVC	2
SY108246		1.12" 29mm	5.35" 136mm	Metal	1
SY73778		1.17" 30mm	5.39" 137mm	Aluminum	1

Sheaves Poleas y Roldanas Roues Poulie

		Height ▼	Largest O.D.	Composite Material	Grooves
SY108240		1.18" 30mm	4.72" 120mm	Metal	1
SY52181		1.26" 32mm	3.94" 100mm	PVC	1
SY31736		1.28" 32mm	5.29" 134mm	Metal	1
SY73757		1.31" 33mm	6.12" 156mm	Metal	1
SY73763		1.32" 34mm	5.16" 13mm	PVC	1
SY73790		1.34" 34mm	5.08" 129mm	Aluminum	1
SY108241		1.34" 34mm	5.69" 145mm	Metal	1
SY41912		1.35" 34mm	4.83" 123mm	Metal	1

Sheaves Poleas y Roldanas Roues Poulie

		Height ▼	Largest O.D.	Composite Material	Grooves
SY48304		1.38" 35mm	6.46" 164mm	Aluminum	1
SY43864		1.38" 35mm	7.03" 179mm	Metal	1
SY73752		1.40" 36mm	4.09" 104mm	PVC	1
SY73754		1.40" 36mm	5.73" 146mm	PVC	1
SY34094		1.41" 36mm	3.23" 82mm	PVC	1
SY73772		1.50" 38mm	8.07" 205mm	Metal	1
SY44229		1.57" 40mm	1.10" 28mm	PVC	1
SY46739		1.57" 40mm	3.31" 84mm	PVC	1

Sheaves Poleas y Roldanas Roues Poulie

		Height ▼	Largest O.D.	Composite Material	Grooves
SY46613		1.57" 40mm	1.57" 40mm	Fiber	1
SY73777		1.57" 40mm	6.10" 155mm	Metal	1
SY43745		1.59" 41mm	3.94" 100mm	PVC	1
SY34884		1.59" 41mm	4.90" 125mm	PVC	1
SY73787		1.62" 41mm	8.07" 205mm	Metal	1
SY38839		1.63" 41mm	3.15" 80mm	PVC	1
SY73786		1.71" 44mm	5.37" 136mm	PVC	1
SY107461		1.73" 44mm	1.72" 44mm	Metal	1

Sheaves Poleas y Roldanas Roues Poulie

		Height ▼	Largest O.D.	Composite Material	Grooves
SY107462		1.77" 45mm	6.14" 156mm	Metal	1
SY34859		1.79" 46mm	5.59" 142mm	PVC	1
SY108245		1.81" 46mm	5.35" 136mm	Metal	1
SY56931		1.90" 48mm	5.13" 130mm	PVC	1
SY34860		2.09" 53mm	6.00" 153mm	PVC	1
SY73769		2.09" 53mm	6.93" 176mm	Metal	1
SY40159		2.11" 54mm	5.39" 137mm	PVC	2
SY34870		4.57" 116mm	9.45" 240mm	PVC	2

Shafts Ejes Arbres



	Total Height ▼	Diameter	Length	Flange Diameter
SY39022	1.11" 28mm	1.18" 30mm	0.85" 22mm	1.61" 41mm
SY41928	1.25" 32mm	1.38" 35mm	0.87" 22mm	2.00" 51mm
SY36441	1.36" 35mm	1.77" 45mm	1.06" 27mm	2.50" 64mm
SY40863	1.36" 35mm	1.77" 45mm	0.92" 23mm	2.32" 59mm
SY31735	1.41" 36mm	1.18" 30mm	0.94" 24mm	1.93" 49mm
SY31727	1.45" 37mm	1.38" 35mm	1.06" 27mm	2.01" 51mm
SY31732	1.50" 38mm	1.38" 35mm	1.04" 26mm	1.97" 50mm
SY40862	1.50" 38mm	1.77" 45mm	1.04" 26mm	2.32" 59mm

Shafts Ejes Arbres

	Total Height ▼	Diameter	Length	Flange Diameter
SY38141	1.65" 42mm	1.77" 45mm	0.98" 25mm	2.56" 65mm
SY40899	1.65" 42mm	2.17" 55mm	1.28" 33mm	3.00" 76mm
SY23240	1.93" 49mm	1.38" 35mm	1.06" 27mm	2.24" 57mm
SY23278	1.97" 50mm	1.57" 40mm	1.54" 39mm	2.50" 64mm
SY37007	2.01" 51mm	1.57" 40mm	1.50" 38mm	2.50" 64mm
SY31751	2.20" 56mm	1.57" 40mm	1.61" 41mm	2.32" 59mm
SY34847	2.44" 62mm	2.17" 55mm	1.93" 49mm	3.60" 92mm
SY43912	2.44" 62mm	1.97" 50mm	1.93" 49mm	2.50" 64mm
SY34846	2.72" 69mm	1.37" 35mm	2.50" 64mm	2.12" 54mm
SY31731	5.60" 142mm	1.75" 45mm	4.62" 117mm	3.00" 76mm

Wear Pads Almohadillas de Desgaste Glissères

L Profile



Z Profile



Strip with 2 Pins



Total Length = Largest Measurement
L2 = Smallest Measurement
L3 = In Between Measurement

Longitud Total = Medida más grande
L2 = Medida más pequeña
L3 = La medida de en medio

Longueur Total = Mesure la plus Grande
L2 = Mesure la plus Petite
L3 = Mesure de Milieu

	Total Length ▼	L2	L3	Type	Material
SY34841	0.88" 22mm	1.88" 48mm	0.89" 23mm	Round	Nylon
					
SY27095	2.36" 60mm	1.02" 26mm	1.04" 26mm	L-profile	Steel
SY26130	2.37" 60mm	0.94" 24mm	1.04" 27mm	L-profile	Brass
SY34345	2.93" 74mm	0.67" 17mm	1.06" 27mm	Z-profile	Bronze
SY26217	3.09" 79mm	0.87" 22mm	0.98" 25mm	L-profile	Brass
SY32417	3.25" 83mm	0.51" 13mm	0.87" 22mm	Other	Bronze
SY39219	3.91" 99mm	1.14" 29mm	1.50" 38mm	L-profile	Bronze with steel plug

Wear Pads Almohadillas de Desgaste Glissères

	Total Length ▼	L2	L3	Type	Material
SY36755	3.98" 101mm	0.91" 23mm	1.46" 37mm	Z-profile	Bronze
SY34842	4.13" 105mm	0.76" 19mm	0.79" 20mm	Strip with 2 pins	Bronze with steel plug
SY31726	4.79" 122mm	0.87" 22mm	1.26" 32mm	Z-profile	Bronze
SY34843	5.51" 140mm	0.61" 15mm	0.94" 24mm	Strip with 2 pins	Brass with steel plug
SY38165	5.51" 140mm	0.59" 15mm	0.64" 16mm	Strip with 2 pins	Plastic
SY39092	5.51" 140mm	2.76" 70mm	2.76" 70mm	L-profile	Plastic
SY39459	5.91" 150mm	2.01" 51mm	2.52" 64mm	L-profile	Plastic
SY34747	6.28" 159mm	0.75" 19mm	1.64" 42mm	Other	Plastic
SY43581	6.31" 160mm	0.38" 10mm	0.19" 5mm	Other	Aluminum
SY44070	6.46" 164mm	0.80" 20mm	1.98" 50mm	Other	Plastic

Wear Pads Almohadillas de Desgaste Glissères

	Total Length ▼	L2	L3	Type	Material
SY36241	6.77" 172mm	0.63" 16mm	2.28" 58mm	Other	Plastic
SY31725	7.24" 184mm	0.54" 14mm	1.57" 40mm	Strip with 2 pins	Bronze with steel plug
SY45624	7.24" 184mm	0.54" 14mm	0.75" 19mm	Strip with 2 pins	Bronze with steel plug
SY45623	7.26" 184mm	0.73" 19mm	1.00" 26mm	Strip with 2 pins	Bronze with steel plug
SY71240	7.63" 194mm	0.76" 19mm	1.98" 50mm	Other	Plastic
SY36825	7.68" 195mm	1.79" 46mm	1.18" 30mm	Other	Steel
SY44117	7.91" 201mm	0.56" 14mm	0.99" 25mm	Strip with 2 pins	Plastic
SY39515	8.01" 204mm	2.01" 51mm	0.77" 20mm	Other	Plastic
SY34835	8.02" 204mm	0.98" 25mm	1.57" 40mm	Other	Plastic
SY39089	8.03" 204mm	0.10" 25mm	1.87" 48mm	Other	Plastic

Wear Pads Almohadillas de Desgaste Glissères

	Total Length ▼	L2	L3	Type	Material
SY38267	8.07" 205mm	0.63" 16mm	1.98" 50mm	Other	Plastic
SY34830	8.11" 206mm	1.64" 42mm	0.30" 8mm	Other	Plastic
SY34831	8.11" 206mm	1.10" 28mm	1.26" 32mm	Other	Plastic
SY34691	8.27" 210mm	1.65" 42mm	0.30" 8mm	Other	Plastic
					
SY34839	8.99" 228mm	1.08" 28mm	1.20" 31mm	L-profile	Bronze
SY39759	9.45" 240mm	1.96" 50mm	1.96" 50mm	L-profile	Plastic
SY38324	9.84" 250mm	0.76" 19mm	0.95" 24mm	L-profile	Bronze
SY39200	9.84" 250mm	0.91" 23mm	0.98" 25mm	L-profile	Bronze
SY34832	13.58" 345mm	0.45" 11mm	0.81" 21mm	Other	Plastic

Hose Guards Protección para Mangueras Garde Hydraulique De Tuyau

	Description ▼
SY47045	¼" Twin flexible
SY38626	⅜" Twin flexible
SY38747	½" Twin flexible

Cable Track Guía de Cable Chemins de Câble

This Product offering covers many models and types of industrial equipment. Series KS4/KS6/NP400/KL cable track and components are available for maintaining hoses and cabling in flexing type applications. In addition, these series of rugged style cable track components offer many advantages.

- Versatile and cost-effective
- Corrosion resistant
- Self-cleaning design expels dirt and debris from the carrier
- Hinge bars open for easy access
- Links snap together with ease for quick repair or adjustments

Este surtido de productos cubre varios modelos y tipos de equipos industriales. Las series KS4/KS6/NP400/KL de portacables y sus componentes están disponibles para sostener y proteger las mangueras y los cables en aplicaciones donde estas partes necesitan ser flexionadas. Además, esta serie de cadenas portacables y componentes son duraderos y ofrecen varias ventajas.

- Versátiles y rentables
- Resistente a la corrosión
- Diseño de auto limpieza que mantiene el polvo y la suciedad fuera del carrete
- Enlaces destapables con bisagras para acceso fácil
- Los enlaces encajan con facilidad para hacer reparaciones o ajustes rápidamente

En additon, cette série de produits couvre nombreux modèles et types d'équipements industriels. Les chemins de câble et composants de séries KS4/KS6/NP400/KL sont disponible pour maintenir les boyaux et les câbles dans les applications de type flexion. En outre, cette série de composants de chemin de câble robuste offrent de nombreux avantages.

- Polyvalent et rentable
- Résistant à la corrosion
- Conception d'auto-nettoyage expulse la saleté et les débris du transporteur
- Barres de charnière ouvertes pour faciliter l'accès
- Les liens enclenchent avec facilité pour la réparation rapide ou ajustements.

Plastic

	Number of Links ▼	Width Outside	Width Inside	Height Outside	Height Inside	Connection(s) Included
SY1239028	47	2.75" 70.00mm	1.77" 45.00mm	1.71" 43.50mm	1.25" 32.00mm	No
	Replacement Parts					
	SY1239031	Bracket				

	Number of Links ▼	Width Outside	Width Inside	Height Outside	Height Inside	Connection(s) Included
SY95731	23	5.08" 129.00mm	4.11" 104.5mm	2.00" 51.00mm	1.50" 38.00mm	Yes
SY95730	31	4.65" 118.00mm	4.04" 102.5mm	2.00" 51.00mm	1.54" 39.00mm	Yes
SY95803	37	4.65" 118.00mm	4.04" 102.5mm	2.00" 51.00mm	1.54" 39.00mm	Yes
	Replacement Parts					
	SY95711	1 Link				
	SY95735	7 Links				
	SY95727	Bracket set				

Cable Track **Guía de Cable** Chemins de Câble

	Number of Links ▼	Width Outside	Width Inside	Height Outside	Height Inside	Connection(s) Included
SY95720	25	4.58" 116.50mm	4.01" 102.00mm	1.38" 35.00mm	1.02" 26.00mm	Yes
SY95712	26	4.58" 116.50mm	4.04" 102.50mm	1.38" 35.00mm	1.04" 26.50mm	Yes
SY95713	35	4.58" 116.50mm	4.01" 102.00mm	1.38" 35.00mm	1.02" 26.00mm	Yes
SY95714	36	4.57" 116.00mm	4.04" 102.50mm	1.38" 35.00mm	1.04" 26.50mm	Yes

Replacement Parts	
SY95715	1 Link
SY95722	7 Links
SY95726	Bracket set

	Number of Links ▼	Width Outside	Width Inside	Height Outside	Height Inside	Connection(s) Included
SY95717	35	3.58" 91.00mm	3.00" 76.20mm	1.39" 35.30mm	1.06" 27.00mm	Yes
SY95718	38	3.56" 90.42mm	3.00" 76.20mm	1.37" 34.80mm	1.05" 26.67mm	Yes

Replacement Parts	
SY1239031	Bracket

	Number of Links ▼	Width Outside	Width Inside	Height Outside	Height Inside	Connection(s) Included
SY95721	43	4.61" 117.00mm	4.01" 102.00mm	1.38" 35.00mm	1.06" 27.00mm	Yes

Replacement Parts	
SY95722	7 Links

Cable Track **Guía de Cable** Chemins de Câble

	Number of Links ▼	Width Outside	Width Inside	Height Outside	Height Inside	Connection(s) Included
SY76684	35	2.77" 70.36mm	2.25" 57.15mm	1.38" 35.05mm	1.04" 26.42mm	Yes
	Replacement Parts					
	SY76683	7 Links				
	SY1239033	Bracket set				

	Number of Links ▼	Width Outside	Width Inside	Height Outside	Height Inside	Connection(s) Included
SY95729	26	4.53" 115.00mm	4.01" 102.00mm	1.04" 26.50mm	1.38" 35.00mm	Yes
	Replacement Parts					
	SY95728	1 Link				
	SY95732	7 Links				
	SY95733	Bracket set				

	Number of Links ▼	Width Outside	Width Inside	Height Outside	Height Inside	Connection(s) Included
SY680895	160	1.48" 37.50mm	1.15" 29.30mm	0.60" 15.30mm	0.39" 10.00mm	No

	Number of Links ▼	Width Outside	Width Inside	Height Outside	Height Inside	Connection(s) Included
SY95719	45	10.59" 269.00mm	4.57" 116.00mm	1.77" 45.00mm	1.77" 45.00mm	Yes

Cable Track Guía de Cable Chemins de Câble

Metal

	Number of Links ▼	Width Outside	Width Inside	Height Outside	Height Inside	Connection(s) Included
SY95741	41	4.45" 113.00mm	4.06" 103.00mm	2.00" 51.00mm	0.98" 25.00mm	Yes
SY95740	117	4.55" 115.00mm	4.05" 103.00mm	2.00" 51.00mm	1.04" 26.50mm	Yes

Replacement Parts	
SY95754	4 Links
SY1236002	Clamp

	Number of Links ▼	Width Outside	Width Inside	Height Outside	Height Inside	Connection(s) Included
SY95756	38	5.20" 132.00mm	4.61" 117.00mm	2.99" 76.00mm	2.00" 51.00mm	No

Replacement Parts	
SY1239032	4 Links
SY95724	Fixed end
SY1239030	Moving end
SY95757	Pin & ring kit



	Number of Links ▼	Width Outside	Width Inside	Height Outside	Height Inside	Connection(s) Included
SY28-100181	40	3.50" 88.90mm	4.00" 101.60mm	2.00" 51.00mm	1.21" 30.73mm	Yes

Replacement Parts	
SY28-114904	Cross bar repair kit

	Number of Links ▼	Width Outside	Width Inside	Height Outside	Height Inside	Connection(s) Included
SY28-100183	35	4.58" 116.33mm	4.00" 101.60mm	3.20" 81.28mm	2.00" 51.00mm	Yes

Replacement Parts	
SY28-114907	Cross bar

Notes **Notas** Notes